

## MATERIAL SAFETY DATA SHEET (MSDS)

### Section 1 - Identification of the substance/preparation and of the company/undertaking

#### Product identifier

**Product Name:** TH-KS Yellow Iron Oxide

**Relevant identified uses of the substance or mixture and uses advised against**

**Identified uses:** H<sub>2</sub>S removal

#### Details of the manufacturer of the safety data sheet

**Manufacturer:** Jiangsu Fuyou Chemical Fertilizer, Catalyst, Scavenging and Environmental Protection Materials Co., Ltd. PRC

**Address:** No.28 Nanhua Road, Suqian Eco-chemical Science and Technology Industrial Park, Suqian, Jiangsu, P.R. China

**Post Code:** 223809

**Tel:** +86- 527-84823050

**Email:** 303183475@qq.com

**Emergency call number:** +86-527-84823050

### Section 2 - Hazards Identification

#### Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008 [EU-GHS/CLP]**

Eye irritation (category 2)

Skin irritation (category 2)

Specific target organ toxicity – single exposure (Category 3)

**Classification according to EU Directories 67/548/EEC or 1999/45/EC**

Xi, R36/37/38

#### Label elements

**Labeling according to Regulation (EC) No 1272/2008 [CLP]**

#### Pictogram



**Signal word** Warning

#### Hazard statement(s)

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

**Add:** No.28 Nanhua Road, Suqian Eco-chemical Science and Technology Industrial Park, Suqian, Jiangsu, P.R. China 223809

**Tel:** +86- 527-84823050

**Web:** <http://www.sanju.cn>

**Mail:** [global@sanju.cn](mailto:global@sanju.cn)



## Precautionary statements

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**Supplemental Hazard Statements** none

**According to European Directive 67/548/EEC as amended.**

**Hazard symbol(s)**



**R-phrase(s)**

R36/37/38 Irritating to eyes, respiratory system and skin.

**S-phrase(s)**

S22 Do not breathe dust.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S37/39 Wear suitable gloves and eye/face protection.

**Other hazards** No information available

## Section 3. Composition/Information on Ingredients

### Chemical composition

Component	CAS No.	Formula	Composition	EC No.	Classification	GHSCLAS
Iron oxide	1309-37-1 1332-37-2	Fe <sub>2</sub> O <sub>3</sub>	≥70%	215-168-2 215-570-8	Xi,R36/37/38	Skin Irrit. 2 Eye Irrit. 2 STOT SE 3 H315 H319 H335
Adhesive	/	/	≤10%	/	/	/
Water	/	/	≤20	/	/	/

For the full text of H-Statements and R-Phrases mentioned in this section, see Section 16.

## Section 4. First Aid Measures

### Description of first aid measures

**Eye contact:** Check for and remove any contact lenses. Immediately flush eyes with plenty of water for a least 15 minutes. Occasionally lifting the upper and lower eyelids. Get medical attention if irritation occurs.

**Add:** No.28 Nanhua Road, Suqian Eco-chemical Science and Technology Industrial Park, Suqian, Jiangsu, P.R. China 223809

**Tel:** +86- 527-84823050

**Web:** <http://www.sanju.cn>

**Mail:** [global@sanju.cn](mailto:global@sanju.cn)



**Skin contact:** Immediately wash skin with soap and copious amounts of water while removing contaminated clothing and shoes. If irritation develops and persists, seek medical attention.

**Ingestion:** Do not induce vomiting. Never give anything by mouth to an unconscious person. Wash out mouth with water. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

**Inhalation:** Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. If irritation develops and persists, seek medical attention.

**Notes to Physicians:** Treat symptomatically.

---

## Section 5. Fire Fighting Measures

### Extinguishing media

#### Suitable Extinguishing Media:

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### Special hazards arising from the substance or mixture:

Under fire conditions toxic fumes may be released. This material in sufficient quantity and reduced particle size is capable of creating a dust explosion.

#### Advice for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

---

## Section 6. Accidental Release Measures

### Personal precautions, protective equipment and emergency procedures

If package rupture. Ensure adequate ventilation. Use personal protective equipment. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Spilled or released at long industrial condition: Remove ignition sources, keep away from heat and flame, evacuate area. Avoid dust formation. Avoid breathing dust. Shut off source of the leak only if it is easy to do so. Do not get water inside containers.

### Environmental precautions

Keep spilled material out of sewers, ditches and bodies of water.

### Methods and materials for containment and cleaning up

Sweep up and place in suitable containers for recycle or disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

---

## Section 7. Handling and Storage

### Precautions for safe handling

Dust generated in handling of this product can be explosive if sufficient quantities are mixed in air.

---

**Add:** No.28 Nanhua Road, Suqian Eco-chemical Science and Technology Industrial Park, Suqian, Jiangsu, P.R. China 223809

**Tel:** +86- 527-84823050

**Mail:** global@sanju.cn

**Web:** <http://www.sanju.cn>



In accordance with good industrial practice, handle with care and avoid unnecessary personal contact. Wash thoroughly after handling. Use with adequate ventilation. Minimize dust generation and accumulation. Avoid contact with eyes, skin, and clothing. Avoid breathing dust. Avoid physical damage to the container. Ground and bond containers when transferring material. Take necessary action to avoid static electricity discharge. Do not eat, drink or smoke while handling the product. Keep away from heat. Keep away from sources of ignition. Keep away from incompatibles such as oxidizing agents, acids, alkalis. Do not allow water to get into the container.

### **Conditions for safe storage, including any incompatibilities**

Keep away from heat and flame. Store in a cool, dry, well-ventilated away from incompatible substances. Store in a tightly closed container. Keep away from moisture and water. Keep out of the reach of children.

### **Specific end uses**

No data available

---

## **Section 8. Exposure Controls/Personal Protection**

### **Control parameters**

#### **Exposure limits:**

CAS# 1309-37-1:

Belgium – TWA: 2ppm (fume, as Fe); 5mg/m<sup>3</sup> (fume, as Fe)

France – VME: 5mg/m<sup>3</sup> (fume, as Fe)

Germany – MAK: 1.5mg/m<sup>3</sup> (respirable, as Fe)

Netherlands – MAC – TGG: 10mg/m<sup>3</sup>

Russia – TWA: 6mg/m<sup>3</sup>

United Kingdom – TWA: 4mg/m<sup>3</sup> TWA (respirable); 10mg/m<sup>3</sup> (inhalable); 5mg/m<sup>3</sup>(as Fe)

United Kingdom – STEL: 10 mg/m<sup>3</sup> STEL (as Fe)

CAS# 9005-25-8:

ACGIH: United States – TWA: 10mg/m<sup>3</sup>

Belgium – TWA: 10mg/m<sup>3</sup>

Korea – TWA: 10mg/m<sup>3</sup>

New Zealand – TWA: 10mg/m<sup>3</sup> (inspirable dust)

Russia – STEL: 10mg/m<sup>3</sup>

United Kingdom – TWA: 10mg/m<sup>3</sup> (inhalable); TWA: 4mg/m<sup>3</sup> (respirable)

### **Engineering Controls**

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low.

### **Personal Protective Equipment**

**Eyes Protection:** If operating conditions create dust that is not adequately controlled, wear appropriate goggles.

**Skin Protection:** For prolonged or repeated contact use protective gloves.

**Body Protection:** Choose body protection according to the amount and concentration of the

---

**Add:** No.28 Nanhua Road, Suqian Eco-chemical Science and Technology Industrial Park, Suqian, Jiangsu, P.R. China 223809

**Tel:** +86- 527-84823050

**Web:** <http://www.sanju.cn>

**Mail:** [global@sanju.cn](mailto:global@sanju.cn)



dangerous substance at the work place.

**Respirators Protection:** Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Other Protection:** Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. To maintain good health habits.

## Section 9. Physical and Chemical Properties

Item	Specifications
Appearance	Form: Particles; Colour: Brown
Odour	Odorless
Odour Threshold	No data available
pH	7
Melting point/freezing point	No data available
Initial boiling point and boiling range	No data available
Flash point	No applicable
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	1.0g/cm <sup>3</sup>
Water solubility	Insoluble
Partition coefficient: n-octanol/water	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available

## Section 10. Stability and Reactivity


<b>Reactivity</b>	No data available
<b>Chemical stability</b>	Stable under normal conditions
<b>Possibility of hazardous reactions</b>	
Hazardous Polymerization	Will not occur
Hazardous reactions	None under normal processing
<b>Conditions to avoid</b>	Incompatible material. Avoid dust formation, ignition sources, exposure to moist air or water
<b>Incompatible materials</b>	Chloroformates, peroxides, strong acids.

**Add:** No.28 Nanhua Road, Suqian Eco-chemical Science and Technology Industrial Park, Suqian, Jiangsu, P.R. China 223809

**Tel:** +86- 527-84823050

**Mail:** global@sanju.cn

**Web:** <http://www.sanju.cn>



**Hazardous decomposition products** Under fire conditions toxic fumes may be released.

## Section 11. Toxicological Information

### Information on toxicological effects

#### Acute toxicity:

CAS# 1309-37-1:

Subcutaneous, dog: LDLo = 30 mg/kg;

CAS# 9005-25-8:

Intraperitoneal, mouse: LD50 = 6600 mg/kg;

#### Skin corrosion/irritation

No data available

#### Serious eye damage/eye irritation

No data available

#### Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

Iron oxide – This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification. IARC: Group 3 – Not classifiable as to carcinogenicity to humans.

Starch – IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### Reproductive toxicity

No data available

#### Specific target organ toxicity – single exposure

Inhalation – May cause respiratory irritation

#### Specific target organ toxicity – repeated exposure

No data available

#### Aspiration hazard

No data available

#### Potential Health Effects

**Eye:** Dust may cause mechanical irritation

**Skin:** Dust cause skin irritation. May be harmful if absorbed through skin.

**Ingestion:** Ingestion is an unlikely route of exposure; no hazard in normal industrial use. If ingested in sufficient quantity may cause injury such as gastrointestinal disturbances. Symptoms may include irritation, nausea, vomiting, abdominal pain, and diarrhea.

**Inhalation:** Inhalation of airborne dust may cause irritation to the mucous membrane and upper airways. Symptoms of exposure can include coughing, sneezing and breathing difficulties.


#### Signs and Symptoms of Exposure

**Add:** No.28 Nanhua Road, Suqian Eco-chemical Science and Technology Industrial Park, Suqian, Jiangsu, P.R. China 223809

**Tel:** +86- 527-84823050

**Web:** <http://www.sanju.cn>

**Mail:** [global@sanju.cn](mailto:global@sanju.cn)



Long term inhalation exposure to iron (oxide fume or dust) can cause siderosis. Siderosis is considered to be a benign pneumoconiosis and does not normally cause significant physiologic impairment. Siderosis can be observed on x-rays with the lungs having a mottled appearance. To be best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

#### Additional Information

RTECS#: CAS# 1309-37-1: NO7400000/ CAS# 9005-25-8: GM5090000

## Section 12. Ecological Information

#### Toxicity

No data available

#### Persistence and degradability

No data available

#### Bioaccumulative potential

No data available

#### Mobility in soil

No data available

#### Results of PBT and vPvB assessment

No data available

#### Other adverse effects

Do not empty into drains

## Section 13. Disposal Considerations

#### Waste treatment methods

**Waste from Residues / Unused Products:** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

**Contaminated packaging:** Contaminated packaging material should be treated equivalent to residual chemical, Clean packaging material should be subjected to waste management schemes (recovery recycling, reuse) according to local legislation.

## Section 14. Transport Information

	IATA	IMDG	RID / ADR
<b>Proper shipping name</b>	Not regulated	Not regulated	Not regulated
<b>Hazard class</b>	/	/	/
<b>UN number</b>	/	/	/
<b>Packing group</b>	/	/	/

**Add:** No.28 Nanhua Road, Suqian Eco-chemical Science and Technology Industrial Park, Suqian, Jiangsu, P.R. China 223809

**Tel:** +86- 527-84823050

**Web:** <http://www.sanju.cn>

**Mail:** [global@sanju.cn](mailto:global@sanju.cn)



## Section 15. Regulatory Information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

### **Safety, health and environmental regulations/legislation specific for the substance or mixture**

No data available

#### **Canada**

Components of this product are listed on Canada's DSL List.

#### **US Federal**

##### **Toxic Substance Control Act (TSCA)**

Components of this product are listed on the TSCA Inventory.

---

## Section 16. Other Information

**MSDS Creation Date:** July 1, 2017

The above information is based on the data of which we are aware and is believed to be correct as of the data hereof. Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

Text of H-code (s) and R-phrases (s) mentioned in Section 3

Skin Irrit. 2: Skin irritation (Category 2)

Eye Irrit. 2: Eye irritation (Category 2)

STOT SE 3: Specific target organ toxicity – single exposure (Category 3)

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

R 36/37/38 Irritating to eyes, respiratory system and skin.

Other Information:

ACGIH: (American Conference of Governmental Industrial Hygienists); CAS: (Chemical Abstracts Service); DSL: (the Domestic Substances List of Canada); EC: (European Commission); IARC: (International Agency for Research on Cancer); IATA: (International Air Transport Association); IMDG: (International Maritime Dangerous Goods); ADR: (European Agreement Concerning the International Carriage of Dangerous Goods by Road); RID: (Regulations Concerning the International Carriage of Dangerous Goods by Rail); LD50: (Lethal dose, 50 percent kill); NDSL: (the Non-domestic Substances List of Canada); NIOSH: (US National Institute

---


**Add:** No.28 Nanhua Road, Suqian Eco-chemical Science and Technology Industrial Park, Suqian, Jiangsu, P.R. China 223809

**Tel:** +86- 527-84823050

**Web:** <http://www.sanju.cn>

**Mail:** [global@sanju.cn](mailto:global@sanju.cn)





# 江苏福友化肥催化净化环保材料有限公司

Jiangsu Fuyou Chemical Fertilizer, Catalyst, Scavenging and Environmental Protection Materials Co., Ltd. 9 / 9

---

for Occupational Safety and Health); NTP: (US National Toxicology Program); OSHA: (US Occupational Safety and Health); PEL: (Permissible Exposure Level); REL: (Recommended Exposure Limit); RTECS: (Registry of Toxic Effects of Chemical Substances); STEL: (Short Term Exposure Limit); TDG: (Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations); TSCA: (Toxic Substances Control Act of USA); TWA: (Time Weighted Average); TLV: (Threshold Limit Value)

---

**Add:** No.28 Nanhua Road, Suqian Eco-chemical Science and Technology Industrial Park, Suqian, Jiangsu, P.R. China 223809

**Tel:** +86- 527-84823050

**Mail:** global@sanju.cn

**Web:** <http://www.sanju.cn>